Contents of Volume 25

Number 1, January 1995

Review: Nitric oxide and the pathogenesis of heart muscle disease: *A. J. de Belder, M. W. Radomski, J. F. Martin and S. Moncada* 1

Nitric oxide reduces hydrogen peroxide production from human polymorphonuclear neutrophils: *T. Forslund and T. Sundqvist* 9

Effect on collagen metabolism of thrombolytic therapy with tissue-plasminogen activator. A randomized, placebo-controlled study: *N. B. Høst, M. B. Stoltenberg, L. T. Jensen, O. G. Larsen and P. Aurup* 15

Effects of chronic treatment with a nitric oxide donor on nerve conduction abnormalities and endoneurial blood flow in streptozotocin-diabetic rats: *N. E. Cameron and M. A. Cotter* 19

Activation of the respiratory burst in eosinophil leucocytes—a transduction sequence decoupled from cytosolic Ca^{2+} rise: *M. P. Wymann, P. Kernen, V. von Tscharner, P.-C. Tai, C. J. Spry and M. Baggiolini* 25

Membrane glycoprotein modifications of G6PD deficient red blood cells: *S. Horn, N. Bashan, N. Peleg and J. Gopas* 32

The effect of dietary salt on insulin sensitivity: *D. Fliser, P. Fode, U. Arnold, M. Nowicki, B. Kohl and E. Ritz* 39

Vascular responses to 17β-oestradiol in postmenopausal women: *M. Riedel, A. Oeltermann, A. Mügge, A. Creutzig, W. Rafflenbeul and P. Lichtlen* 44

Clinical evaluation of total serum calcium in primary hyperparathyroidism and the risk of death after surgery: *G. Hedbäck and A. Odén* 48

δ-Aminolaevulinic acid dehydratase as an index of lead toxicity. Time for reappraisal?: *G. Chalevelakis, H. Bouronikou, A. G. Yalouris, Th. Economopoulos, S. Athanaselis and S. Raptis* 53

Cholesterol biosynthesis in dermal fibroblasts from patients with metabolic disorders of peroxisomal origin: *E. Malle, K. Oettl, W. Sattler, G. Hoefler and G. M. Kostner* 59

Assessment of interferon cardiotoxicity with quantitative radionuclide angiocardiography: *M. Sartori, S. Andorno, G. La Terra, G. Pozzoli, M. Rudoni, G. M. Sacchetti, E. Inglese and M. Aglietta* 68

Instructions to authors

Number 2, February 1995

Review: Integrins: structure, biological functions and relevance in viral chronic hepatitis: *C. Garcia-Monzon, L. Garcia-Buey, P. L. Majano and R. Moreno-Otero* 71

Heterozygous familial hypercholesterolaemia is associated with pathological exercise-induced leakage of muscle proteins, which is not aggravated by simvastatin therapy: *J. W. A. Smit, P. R. Bär, R. A. Geerdink and D. W. Erkelens* 79

Bone mineral density and its relationship to skin colour in Caucasian females: *H. May, S. Murphy and K.-T. Khaw* 85

Effects of epidermal growth factor (EGF), platelet-derived growth factor (PDGF) and fibroblast growth factor (FGF) on human adipocyte development and function: *H. Hauner, K. Röhrig and T. Petruschke* 90

Characterization of putrescine transport across the intestinal epithelium: study using isolated brush border and basolateral membrane vesicles of the enterocyte: *V. Milovic, J. Stein, A. Piiper, R. Gerhard, S. Zeuzem and W. F. Caspary* 97

Effect of genetic risk load defined by HLA-DQB1 polymorphism on clinical characteristics of IDDM in children: *R. Veijola, M. Knip, H. Reijonen, P. Vähäsalo, R. Puukka and J. Iionen* 106

Gastrointestinal motor and secretory responses to cholinergic stimulation in humans. Differential modulation by muscarinic and cholecystokinin receptor blockade: *M. Katschinski, C. Steinicke, M. Reinshagen, G. Dahmen, C. Beglinger, R. Arnold and G. Adler* 113

Relationship between fractional calcium absorption and gastric emptying: *J. M. Wishart, M. Horowitz, H. A. Morris, A. G. Need, A. Russo, K. L. Jones, W. M. Sun and B. E. C. Nordin* 123

G-protein mutations in human pituitary adrenocorticotrophic hormone-secreting adenomas: *E. A. Williamson, P. G. Ince, D. Harrison, P. Kendall-Taylor and P. E. Harris* 128

Screening for germline mutations of the p53 gene in familial breast cancer patients: *U. A. Patel, M. Perry and C. Crane-Robinson* 132

Rapid Communication: Exhaled nitric oxide concentration and amniotic fluid nitrite concentration during pregnancy: *N. H. Morris, S. Carroll, K. H. Nicolaides, P. J. Steer and J. B. Warren*

Number 3, March 1995

The lipoprotein composition of plasma and ascitic fluid in liver cirrhosis: *S. Zambon, R. Orlando, G. Sartore, A. Bassi, E. Manzato and G. Crepaldi* 143

Lipid peroxidation and susceptibility of low-density lipoprotein to *in vitro* oxidation in hyperhomocysteinaemia: *H. J. Blom, H. A. Kleinveld, G. H. J. Boers, P. N. M. Demacker, H. L. M. Hak-Lemmers, M. T. W. B. Te Poele-Pothoff and J. M. F. Trijbels* 149

Phenotypic and immunoregulatory analysis of intestinal T-cells in patients with inflammatory bowel disease: evaluation of an *in vitro* model: *M. Niessner and B. A. Volk* 155

Hormonal and renal responses to neutral endopeptidase inhibition in normal humans on a low and on a high sodium intake: *G. A. Sagnella, N. D. Markandu, M. G. Buckley, M. A. Miller, A. Blackwood, D. R. J. Singer and G. A. MacGregor* 165

Prolonged consumption of moderate doses of alcohol and *in vitro* gastro-duodenal and ileal contractility in the rat: *G. Palasciano, P. Portincasa, A. Di Ciaula and V. Palmieri* 171

Hyperhomocysteinaemia and endothelial dysfunction in young patients with peripheral arterial occlusive disease: *M. van den Berg, G. H. J. Boers, D. G. Franken, H. J. Blom, G. J. van Kamp, C. Jakobs, J. A. Rauwerda, C. Kluft and C. D. A. Stehouwer* 176

Response of digital arteries to endothelium dependent and independent vasodilators in patients with Raynaud's phenomenon: *S. Singh, J. C. de Trafford, P. A. Baskerville and J. F. Martin* 182

Radioiodine therapy of Graves' hyperthyroidism: standard vs. calculated ^{131}iodine activity. Results from a prospective, randomized, multicentre study: *H. Peters, C. Fischer, U. Bogner, C. Reiners and H. Schleusener* 186

Effect of insulin treatment on serum lipoprotein(a) in non-insulin-dependent diabetes: *T. Kuusi, H. Yki-Järvinen, R. Kauppinen-Mäkelin, M. Jauhiainen, C. Ehnholm, M. Kauppila, P. Seppälä, J. Viikari, E. Kujansuu, S. Rajala, J. Lahti, L. Niskanen, T. Marjanen, S. Salo, L. Ryysy, T. Tulokas and M.-R. Taskinen* 194

Veno-arterial carbon dioxide and pH gradients and survival in critical illness: *L. Lind* 201

Human neutrophil and plasma endopeptidase 24.11: quantification and respective roles in atrial natriuretic peptide hydrolysis: *J. Nortier, S. Pauwels, E. de Prez and M. Deschodt-Lanckman* 206

Letters to the Editor 213

Number 4, April 1995

1994 Mack-Forster Award Lecture
Review: Studies on the regulation of hepatic cholesterol metabolism in humans: *B. Angelin* 215

Effect of acute bile acid pool depletion on total and ionized calcium concentrations in human bile: *D. Gleeson, G. M. Murphy and R. H. Dowling* 225

Sulphydryl group control of sodium-lithium countertransport kinetics: a membrane protein control abnormality in essential hypertension: *T. H. Thomas, P. A. Rutherford, I. C. West and R. Wilkinson* 235

Relationship of actin filament assembly to clearance of fibrinogen gold, GPIIb-IIIa complexes on spread platelets: *J. G. White, S. Burris and C. M. Smith II* 241

Renal clearance of atria natriuretic peptide during acute unilateral complete ureteral obstruction in the pig: *J. Frøkiær, J. C. Djurhuus and E. B. Pedersen* 250

Fast transmission of alterations in plasma phosphatidylcholine/sphingomyelin ratio and lyso phosphatidylcholine levels into changes of red blood cell membrane phospholipid composition after low density lipoprotein apheresis: *R. Kulschar, B. Engelmann, C. Bräutigam, J. Duhm, J. Thiery and W. O. Richter* 258

Platelet function and fibrinolytic activity during rest and exercise in borderline hypertensive patients: *G. Gleerup, J. Vind and K. Winther* 266

Studies on lipoprotein metabolism in a family with jejunal chylomicron retention: *A. Nemeth, U. Myrdal, B. Veress, M. Rudling, L. Berglund and B. Angelin* 271

Rapid Communication: Severe hypotension and bradycardia after continuous intravenous infusion of urodilatin (ANP 95-126) in a patient with congestive heart failure: *M. Kentsch, C. Drummer, R. Gerzer and G. Müller-Esch* 281

Number 5, May 1995

Review: The sleep apnoea/hypopnoea syndrome: *N. J. Douglas* 285

Review: The natriuretic peptide family: *G. McDowell, C. Shaw, K. D. Buchanan and D. P. Nicholls* 291

Skeletal muscle and the control of ventilation on exercise: evidence for metabolic receptors: *A. L. Clark, M. Piepoli and A. J. S. Coats* 299

Hydroxylation of collagen type I: evidence that both lysyl and prolyl are overhydroxylated in osteogenesis imperfecta: *H. W. Lehmann, D. Rimek, M. Bodo, R. E. Brenner, U. Vetter, O. Wörsdörfer, A. Karbowski and P. K. Müller* 306

Effect of hypertriglyceridaemia on lipoprotein (a) serum concentrations: *T. Walek, A. von Eckardstein, H. Schulte and G. Assmann* 311

Transforming growth factor β_1 modulates angiotensin II-induced calcium influx in vascular smooth muscle: *Z. Zhu, M. Tepel, M. Neusser and W. Zidek* 317

Severe hypercholesterolaemia: unusual inheritance in an Italian pedigree: *G. Zuliani, G. B. Vigna, A. Corsini, M. Maioli, F. Romagnoni and R. Fellin* 322

Decreased affinity of low density lipoprotein (LDL) particles for LDL receptors in patients with cholesteryl ester transfer protein deficiency: *N. Sakai, S. Yamashita, K.-I. Hirano, M. Ishigami, T. Arai, K. Kobayashi, T. Funahashi and Y. Matsuzawa* 332

PC:PS liposomes induce a recruitment of neutrophils and the release of TNFα in the lungs of mice sensitized with *Saccharopolyspora rectivirgula*: *F. Bellemare, E. Israel-Assayag and Y. Cormier* 340

The influence of local skin heating and reactive hyperaemia on skin blood flow abnormalities in patients with reflex sympathetic dystrophy (RSD): *H. A. J. M. Kurvers, M. J. H. M. Jacobs, R. J. Beuk, F. A. J. M. van den Wildenberg, P. J. E. H. M. Kitslaar, D. W. Slaaf and R. S. Reneman* 346

Diagnostic value of C-reactive protein measurement does not justify replacement of the erythrocyte sedimentation rate in daily general practice: *G. J. Dinant, C. A. de Kock and J. W. J. van Wersch* 353

Surgical removal of insulinoma restores glucose recovery from hypoglycaemia but does not normalize insulin action: *S. Vigili de Kreutzenberg, A. Riccio, M. Dorella, A. Avogaro, M. C. Marescotti, A. Tiengo and S. del Prato* 360

Rapid Communication: High lipoprotein (a) levels with predominance of high molecular weight apo (a) isoforms in patients with pulmonary embolism: *A. Császár, I. Karádi, E. Juhász and L. Romics* 368

Number 6, June 1995

Review: Role of cytotoxic cells in the protective immunity against and immunopathology of intracellular infections: *T. H. M. Ottenhoff and T. Mutis* 371

Increased erythrocyte calcium pump activity in a kindred with familial benign hypercalcaemia: *N. Escobales, C. A. Fariñas and L. Haddock* 378

Post-operative erythropoiesis is limited by the inflammatory effect of surgery on iron metabolism: *D. H. Biesma, A. van de Wiel, Y. Beguin, R. J. Kraaijenhagen and J. J. M. Marx* 383

Induction of net mass lipid transfer reactions in plasma by wine consumption with dinner: *A. van Tol, J. E. M. Groener, L. M. Scheek, T. van Gent, J. Veenstra, H. van de Pol, H. F. J. Hendriks and G. Schaafsma* 390

Sustained weight reduction in moderately obese women results in decreased activity of skeletal muscle lipoprotein lipase: *R. H. Eckel, T. J. Yost and D. R. Jensen* 396

A comparison of the effects of IGF-I and insulin on glucose metabolism, fat metabolism and the cardiovascular system in normal human volunteers: *D. L. Russell-Jones, A. T. Bates, A. M. Umpleby, T. R. Hennessy, S. B. Bowes, K. D. Hopkins, N. Jackson, J. Kelly, F. Shojaee-Moradie, R. H. Jones and P. H. Sonksen* 403

Dopaminergic and cholinergic control of arginine–vasopressin secretion in type I diabetic men: *V. Coiro, R. Volpi, L. Capretti, R. Colla, G. Caffarri, P. P. Vescovi and P. Chiodera* 412

Polymorphonuclear leucocyte dysregulation in patients with gram-negative septicaemia assessed by flow cytometry: *C. Wenisch, P. Parschalk, M. Hasenhündl, A. Griesmacher and W. Graninger* 418

Serum laminin in Graves' disease: *C. Wenisch, D. Myskiw, E. Narzt, E. Presterl and W. Graninger* 425

Gastric myoelectrical activity and gastrointestinal motility in patients with functional dyspepsia: *H. J. A. Jebbink, G. P. van Berge-Henegouwen, P. P. M. Bruijs, L. M. A. Akkermans and A. J. P. M. Smout* 429

Detectable levels of pyridinoline are present in synovial fluid from various patients with knee effusion: preliminary results: *S. Ricard-Blum, X. Chevalier, J. A. Grimaud, B. Larget-Piet and D. Uebelhart* 438

Urinary excretion of epidermal growth factor in living human kidney donors and their recipients: *P. E. Jørgensen, A.-L. Kamper, O. Munck, S. Strandgaard and E. Nexø* 442

Failure of complete suppression of endogenous glucose production by euglycaemic hyperinsulinaemia in normal man: *R. D. G. Neely, R. Harper, D. P. Rooney, C. N. Ennis, P. M. Bell and E. R. Trimble* 447

Effect of thyroid replacement therapy on the stature of Colombian children with minimal thyroid dysfunction: *C. Hernández-Cassis, C. Cure-Cure and P. López-Jaramillo* 454

Number 7, July 1995

Review: The fetal and infant origins of disease: *D. J. P. Barker* 457

Aminophylline: could it act as an antioxidant *in vivo*?: *D. Lapenna, S. de Gioia, A. Mezzetti, G. Ciofani, D. Festi and F. Cuccurullo* 464

Alzheimer amyloid β-peptides exhibit ionophore-like properties in human erythrocytes: *I. Engström, G. Ronquist, L. Pettersson and A. Waldenström* 471

Serotonin acts as a radical scavenger and is oxidized to a dimer during the respiratory burst of human mononuclear and polymorphonuclear phagocytes: *P. Schuff-Werner, W. Splettstösser, F. Schmidt and G. Huether* 477

Relationship of apolipoproteins AI, B and lipoprotein Lp(a) to hepatic function of liver recipients during the early post-transplant period: *V. W. Armstrong, E. Schütz, M. Kaltefleiter, M. Luy, M. Helmhold, E. Wieland, B. Ringe and M. Oellerich* 485

Improved metabolic control in patients with non-insulin-dependent diabetes mellitus is associated with a slower accumulation of glycation products in collagen: *P. I. Salmela, A. I. Oikarinen, O. Ukkola, A. Karjalainen, M. Linnaluoto, R. Puukka and L. Ryhänen* 494

Intracoronary magnesium is not protective against acute reperfusion injury in the regional ischaemic-reperfused dog heart: *W. Schlack, F. Bier, M. Schäfer, A. Uebing, S. Schäfer, U. Borchard and V. Thämer* 501

Liposoluble vitamins and naturally occurring carotenoids in porphyria cutanea tarda: *E. Rocchi, A. M. Stella, M. Cassanelli, A. Borghi, N. Nardella, Y. Seium and G. Casalgrandi* 510

The influence of ulnar nerve blockade on skin microvascular blood flow: *P. M. Netten, H. Wollersheim, M. J. M. Gielen, J. A. C. J. den Arend, J. A. Lutterman and Th. Thien* 515

Albumin affects erythrocyte aggregation and sedimentation: *W. H. Reinhart and C. Nagy* 523

Left ventricular hypertrophy is associated with a stronger impairment of non-oxidative glucose metabolism in hypertensive patients: *G. Paolisso, D. Galzerano, A. Gambardella, G. Varricchio, F. Saccomanno, A. D'Amore, M. Varricchio and F. D'Onofrio* 529

Effect of colectomy with ileo-anal anastomosis on the biliary lipids: *G. Galatola, M. Fracchia and R. P. Jazrawi* 534

Reverse transcription-polymerase chain reaction detection of collagen transcripts in healing human wounds: *I. Hopkinson, W. Evans, D. Chant, S. Hiscox, D. Berry and K. Harding* 539

Number 8, August 1995

Review: Role of humoral immune responses in hepatitis B and C virus infections: *M. U. Mondelli, A. Cividini and A. Cerino* 543

Prolonged activation of the branched-chain α-keto acid dehydrogenase complex in muscle of zymosan treated rats: *O. E. Rooyackers, J. M. G. Senden, P. B. Soeters, W. H. M. Saris and A. J. M. Wagenmakers* 548

Body composition and serum lipids in female runners: influence of exercise level and menstrual bleeding pattern: *M. L. Hetland, J. Haarbo and C. Christiansen* 553

Simvastatin decreases the hepatic secretion of very-low-density lipoprotein apolipoprotein B-100 in heterozygous familial hypercholesterolaemia: pathophysiological and therapeutic implications: *G. F. Watts, M. H. Cummings, M. Umpleby, J. R. Quiney, R. Naoumova, G. R. Thompson and P. H. Sönksen* 559

Influence of residual C-peptide secretion on the arginine vasopressin response to hypoglycaemia and metoclopramide in insulin-dependent diabetes: *P. Chiodera, R. Volpi, L. Capretti, G. Speroni, G. Caffarri, R. Colla, A. Caiazza and V. Coiro* 568

Hyperlipidaemia in renal transplantation – risk factor for long-term graft outcome: *E. Dimény, J. Wahlberg, H. Lithell and B. Fellström* 574

Microdialysis assessment of adipose tissue metabolism in post-absorptive obese NIDDM subjects: *P.-A. Jansson, U. Smith and P. Lönnroth* 584

Elevation of D-glucose impairs coronary artery autoregulation after slight reduction of coronary flow: *T. C. Wascher, M. Bachernegg, E. Kickenweiz, G. Stark, U. Stark, H. Toplak, W. F. Graier and G. J. Krejs* 590

4 week administration of an ACE inhibitor and a cardioselective β-blocker in healthy volunteers: no influence on insulin sensitivity: *L. Heinemann, T. Heise, J. Ampudia, P. Sawicki, G. Sindelka, G. Brunner and A. A. R. Starke* 595

Key metabolite kinetics in human skeletal muscle during ischaemia and reperfusion: measurement by microdialysis: *M. Müller, R. Schmid, M. Nieszpaur-Los, A. Fassolt, P. Lönnroth, P. Fasching and H. G. Eichler* 601

Reduced glomerular size- and charge-selectivity in clinically healthy individuals with microalbuminuria: *J. S. Jensen, K. Borch-Johnsen, T. Deckert, M. Deckert, G. Jensen and B. Feldt-Rasmussen* 608

Treatment of systemic mastocytosis with interferon-γ failure after appearance of anti-IFN-γ antibodies: *C. Fiehn, O. Prümmer, H. Gallati, B. Heilig and W. Hunstein* 615

The effect of starvation of leucine, alanine and glucose metabolism in obese subjects: *A. M. Umpleby, I. N. Scobie, M. A. Boroujerdi and P. H. Sönksen* 619

Letters to the Editor 627

Number 9, September 1995

Review: n-3 Polyunsaturated fatty acids: update 1995: *S. Endres, R. De Caterina, E. B. Schmidt and S. D. Kristensen* 629

Detection improvement of cytomegalovirus antigen in human peripheral blood using monoclonal antibodies and automated reading of cell preparations: *G. J. Boland, W. E. Mesker, R. Doorn, J. J. Ploem-Zaaijer, H. J. Tanke and G. C. de Gast* 639

Lipoprotein (a) in patients with hyperlipidaemia: *W. Bartens, D. J. Rader, G. Talley and H. B. Brewer Jr* 647

Increased serum interleukin-1β during treatment of hyperthyroidism with antithyroid drugs: *A. Tsatsoulis, P. G. Vlachoyiannopoulos, G. N. Dalekos, E. O. Johnson and H. M. Moutsopoulos* 654

The myeloic related protein MRP8/14 (27E10 antigen) —usefulness as a potential marker for disease activity in ulcerative colitis and putative biological function: *N. Lügering, R. Stoll, K. W. Schmid, T. Kucharzik, H. Stein, G. Burmeister, C. Sorg and W. Domschke* 659

Glutathione, glutathione utilizing enzymes and thioltransferase in platelets of insulin-dependent diabetic patients: relation with platelet aggregation and with microangiopatic complications: *P. Di Simplicio, L. A. De Giorgio, E. Cardaioli, R. Lecis, M. Miceli, R. Rossi, R. Anichini, M. Mian, G. Seghieri and F. Franconi* 665

Renal and adrenal mechanisms in cyclosporine-induced hyperkalaemia after renal transplantation: *J. Laine and C. Holmberg* 670

Inhibition of ileal bile acid transport by cyclosporin A in rat: *P. Sauer, P. Klöters-Plachky and A. Stiehl* 677

Interferon-γ and urine neopterin in attacks of the hyperimmunoglobulinaemia D and periodic fever syndrome: *J. P. H. Drenth, R. J. Powell, N. S. Brown and J. W. M. van der Meer* 683

Neutrophil dysfunction and increased susceptibility to infection: *L. Ottonello, P. Dapino, G. Pastorino, F. Dallegri and C. Sacchetti* 687

Determinants of insulin-stimulated skeletal muscle glycogen metabolism in man: *C. Schalin-Jäntti, E. Laurila, M. Löfman and L. C. Groop* 693

Cellular processing of apolipoprotein B-containing lipoproteins from young post-infarction patients and healthy controls: *P. Tornvall, J. Regnström and A. Hamsten* 699

Direct assessment of extracellular water volume by the bromide-dilution method in growth hormone-deficient adults: *Y. E. M. Snel, R.-J. M. Brummer, E. Bol, M. E. Doerga, P. M. J. Zeliseen, M. L. Zonderland, P. Boer, H. A. Koomans and H. P. F. Koppeschaar* 708

Number 10, October 1995

1995 Mack-Forster Award Lecture
Review: Mast cell differentiation antigens: expression in normal and malignant cells and use for diagnostic purposes: *P. Valent* 715

Commentary: The use of ferric nitrilotriacetate and ferrozine in iron transport studies: *J. J. M. Marx* 721

Cellular mechanisms underlying the increased duodenal iron absorption in rats in response to phenylhydrazine-induced haemolytic anaemia: *D. K. O'Riordan, P. Sharp, R. M. Sykes, S. K. Srai, O. Epstein and E. S. Debnam* 722

Urodilatin (Ularitide, INN): a potent bronchodilator in asthmatic subjects: *T. Flüge, H. Fabel, T. O. F. Wagner, B. Schneider and W. G. Forssmann* 728

Human endothelial cells bioactivate organic nitrates to nitric oxide: implications for the reinforcement of endothelial defence mechanisms: *M. Feelisch, F. Brands and M. Kelm* 737

Effects of cholestyramine on gallbladder and gastric emptying in obese and lean subjects: *P. Portincasa, A. Di Ciaula, V. Palmieri, G. P. van Berge-Henegouwen and G. Palasciano* 746

Neurohumoral antecedents of vasodepressor reactions: *M. C. Jacobs, D. S. Goldstein, J. J. Willemsen, P. Smits, Th. Thien, R. A. Dionne and J. W. M. Lenders* 754

Red blood cell cation transports in uraemic anaemia: evidence for an increased K/Cl co-transport activity. Effects of dialysis and erythropoietin treatment: *L. De Franceschi, O. Olivieri, D. Girelli, A. Lupo, P. Bernich and R. Corrocher* 762

Studies in hypertriglyceridaemia, III: glucose tolerance, insulin sensitivity and indices of adipose tissue lipolysis in randomly selected non-diabetic hypertriglyceridaemic Swedish men: *A. Asplund-Carlson* 769

Peroxides in human leucocytes in acute septic shock: a preliminary study of acute phase changes and mortality: *H. A. Leaver, P. L. Yap, P. Rogers, I. Wright, G. Smith, P. E. Williams, A. J. France, S. R. Craig, W. S. Walker and R. J. Prescott* 777

The effect of recombinant human IGF-I on protein metabolism in post-operative patients without nutrition compared to effects in experimental animals: *R. Sandström, E. Svanberg, A. Hyltander, E. Haglind, C. Ohlsson, H. Zachrisson, B. Berglund, E. Lindholm, H. Brevinge and K. Lundholm* 784

Rapid Communication: Subcellular distribution of small GTP-binding proteins in the intestinal cell line Caco-2: *J. Stein, R. Gerhard, S. Zeuzem and W. F. Caspary* 793

Rapid Communication: Free amino acid concentrations in normal and abnormal third trimester placental villi: *N. H. Morris, D. Burston, B. Ramsay and S. R. Sooranna* 796

Referees for 1994 799

Number 11, November 1995

Plasma homocysteine and menopausal status: *M. G. A. J. Wouters, M. Th. E. C. Moorrees, M. J. van der Mooren, H. J. Blom, G. H. J. Boers, L. A. Schellekens, C. M. G. Thomas and T. K. A. B. Eskes* 801

Commentary: Critical points for determining moderate hyperhomocyst(e)inaemia: *S.-S. Kang* 806

Body composition and fuel metabolism after kidney grafting: *U. Steiger, K. Lippuner, E. X. Jensen, A. Montandon, Ph. Jaeger and F. F. Horber* 809

Differentiation-induced production of ASP in human adipocytes: *K. Cianflone and M. Maslowska* 817

Assessment of cardiac autonomic control by heat period variability in patients with early-onset familial obesity: *M. Petretta, D. Bonaduce, E. De Filippo, G. F. Mureddu, L. Scalfi, F. Marciano, V. Bianchi, L. Salemme, G. de Simone and F. Contaldo* 826

Monoclonal lymphocyte proliferation and bcl-2 rearrangement in essential mixed cryoglobulinaemia: *M. Ellis, M. Rathaus, A. Amiel, Y. Manor, A. Klein and M. Lishner* 833

Lack of plasma lipid peroxidation during LDL-apheresis by heparin-induced extracorporeal LDL-precipitation: *E. Wieland, V. Schettler, C. Creutzfeldt, H. Kickbusch and P. Schuff-Werner* 838

Platelet activation and interaction with leucocytes in patients with sepsis or multiple organ failure: *M. Gawaz, S. Fateh-Moghadam, G. Pilz, H.-J. Gurland and K. Werdan* 843

Effect of isosorbide-5-mononitrate on plasma and urine levels of cyclic GMP in relation to exercise in coronary patients compared with control subjects: *J. R. Berrazueta, E. Salas, A. Riestra, A. Ochoteco, J. A. Amado and J. J. Poveda* 852

Non-invasive assessment of unstimulated forearm arterial compliance in human subjects. Impaired vasoreactivity in hypercholesterolaemia: *D. Baldassarre, G. Gianfranceschi, F. Pazzucconi and C. R. Sirtori* 859

Measurement of human chorionic gonadotropin-related immunoreactivity in serum, ascites and tumour cysts of patients with gynaecologic malignancies: *M. Grossmann, R. Hoermann, P. M. Gocze, M. Ott, P. Berger and K. Mann* 867

Platelet size and left ventricular hypertrophy in hypertensive patients over 50 years of age: *A. Scuteri, M. Cacciafesta, A. M. de Propris, M. G. di Bernardo, D. Recchi, V. Celli and V. Marigliano* 874

Rapid Communication: Serum concentration of endogenous G-CSF in women during the menstrual cycle and pregnancy: *S. Makinoda, M. Mikuni, I. Furuta, K. Okuyama, T. Sagawa and S. Fujimoto* 877

Rapid Communication: Apolipoprotein E and lipoprotein lipase co-ordinately enhance binding and uptake of chylomicrons by human hepatocytes: *W. A. Mann, N. Meyer, W. Weber, F. Rinninger, H. Greten and U. Beisiegel* 880

Letter to the Editor 883

Erratum 885

Number 12, December 1995

The reproducibility and comparability of tests of the peripheral chemoreflex: comparing the transient hypoxic ventilatory drive test and the single-breath carbon dioxide response test in healthy subjects: *T. P. Chua and A. J. S. Coats* 887

Relation of endothelins to volume regulating neurohumoral systems in patients with cirrhosis of the liver: *V. Gülberg and A. L. Gerbes* 893

Circulating and tissue guanylin immunoreactivity in intestinal secretory diarrhoea: *M. Kuhn, H. Kulaksiz, Y. Cetin, M. Frank, R. Nold, R. Arnold, K. Böker, S. C. Bischoff, M. P. Manns and W. G. Forssmann* 899

Recurrent condylomata acuminata: how routine immediate and delayed hypersensitivity parameters might provide a clue to their immunopathogenesis: *K. P. Kyriakis, A. K. Balamotis, A. Katsarou-Katsari and A. D. Tosca* 906

Lichen planus and hepatitis C virus in the Northern Kyushu region of Japan: *Y. Nagao, M. Sata, K. Tanikawa, K. Itoh and T. Kameyama* 910

Omega-3 fatty acids suppress the enhanced production of 5-lipoxygenase products from polymorph neutrophil granulocytes in cystic fibrosis: *U. Keicher, B. Koletzko and D. Reinhardt* 915

A comparison of the effects of insulin-like growth factor-I, insulin and combined infusions of insulin and insulin-like growth factor-I on glucose metabolism in dogs: *F. Shojaee-Moradie, A. M. Umpleby, M. J. Thomason, N. C. Jackson, M. A. Boroujerdi, P. H. Sönksen, A. Skottner and R. H. Jones* 920

Interactions between platelets and neutrophils in essential thrombocythaemia. Effects on neutrophil chemiluminescence and superoxide anion generation: *G. Carulli, S. Minnucci, M. L. Gianfaldoni, C. Angiolini, A. Azzarà and F. Ambrogi* 929

Progression of coronary artery disease in non-dilated sites in the months following balloon angioplasty: time-dependent relation with restenosis: *D. Benchimol, J. F. Dartigues, H. Benchimol, P. Bordier, C. Duplàa, T. Couffinhal and J. Bonnet* 935

Effect of danazol-induced chronic hyperglucagonaemia on glucose tolerance and turnover: *H. Kotzmann, M. Linkesch, B. Ludvik, M. Clodi, A. Luger, G. Schernthaner, R. Prager and R. Klauser* 942

An aldose reductase inhibitor, TAT, prevents electroretinographic abnormalities and ADP-induced hyperaggregability in streptozotocin-induced diabetic rats: *N. Hotta, N. Koh, F. Sakakibara, J. Nakamura, Y. Hamada, T. Hara, N. Takeuchi, S. Inukai, N. Kasama, H. Fukasawa and H. Kakuta* 948

Pre-operative evaluation of risk factors for complications in patients with primary hyperparathyroidism: *L. Lind and S. Ljunghall* 955

Transforming growth factor β_1 influences lysyl hydroxylation of collagen I and reduces steady-state levels of lysyl hydroxylase mRNA in human osteoblast-like cells: *U. Seitzer, B. Bätge, Y. Acil and P. K. Müller* 959

Is responsiveness to lovastatin in familial hypercholesterolaemia heterozygotes influenced by the specific mutation in the low-density lipoprotein receptor gene?: *T. P. Leren and I. Hjermann* 967

Vascular reactivity to noradrenaline and neuropeptide Y in the streptozotocin-induced diabetic rat: *M. W. Savage, C. W. Bodmer, A. B. Walker, I. E. Buchan, E. A. Masson and G. Williams* 974

Erratum 980

Author Index 981

Keyword Index 985